





BORN TO REDEFINE THE ENTRY DOOR FOR EVERYONE

YOUR DOOR, DEFINED

In 2008 Weber Manufacturing Technologies Inc., a Midland, Ontario, Canada based tooling company, set out to leverage their proprietary Nickel Vapor Deposition (NVD) technology to completely revolutionize how fiberglass entry doors are made. NVD technology provides a unique way to capture fine, surface grain details, found on wood, leather and other materials. It works by taking a silicone cast of the actual material and then creating highly specialized nickel tools, which are used to transfer the grain. With NVD, Weber created a complete offering of fiberglass door designs and

fiberglass clad components. The offering was branded MasterGrain™ and the company began selling doors across North America. There are other technologies which can replicate woodgrain for fiberglass door production, but none can deliver the intricate and beautiful detail that a MasterGrain door is able to produce at a microscopic level using NVD technology. Today, in addition to MasterGrain doors, Weber uses NVD technology to create tooling and finished products for some of the world's most luxurious automotive, aerospace and building products brands.



CONTEMPORARY STAINLESS INLAY CHERRY C613




RUSTIC CHERRY 2 PANEL ARCHED TOP C100



ENGRAVED EDGE SMOOTH 2 PANEL SHAKER E954



ENGRAVED EDGE SMOOTH E953



CONTEMPORARY STAINLESS INLAY CHERRY C614

BUILT BETTER BECAUSE BEAUTY IS ONLY SKIN DEEP

MasterGrain™ products can replicate, with fine detail, woodgrain and texture right down to the knots and swirls that give a wood door its unique character and charm.

Components come together seamlessly to create luxurious, durable, high-quality doors that distinguish a home's exterior from a distance and completely adorn its interior. Going beyond its striking appearance, you will find a MasterGrain door has robust build quality that delivers energy and performance criteria that is best-in-class in the door industry. The difference is found in the design and engineering, in the quality of the materials used and finally in the state-of-the-art manufacturing process. MasterGrain is the only door brand in the industry to offer fiberglass clad components to improve both appearance and performance. Door skins are made thicker than industry standard to provide more strength to better resist dents, dings and scratches. In addition, composite materials are used for many of the door slab and frame components to eliminate twisting, warping, mold and rot.

The high-density polyurethane foam core provides best-in-class insulation and is CFC free. There is more to a MasterGrain door than meets the eye, although what meets the eye is extremely beautiful. Explore this brochure to find out which MasterGrain door is right for you.

CONTENTS

A True Entry Door Solution	05	Craftsman Fir	28
It's What's Inside That Counts	06	Contemporary Edge Smooth	33
Molded Fiberglass Door Lite Frames	07	Decorator Series Edge Smooth	38
Composite Components	08	Craftsman Edge Smooth	39
Fiberglass Cladded Astragals	09	Shaker Edge Smooth	40
Transom Sill, Mull Casing & Glass Stop	09	Stainless Inlay Edge Smooth	41
Contemporary Engraved Cherry	11	Engraved Edge Smooth	43
Contemporary Stainless Inlay Cherry	13	Classic Mahogany	45
Classic Cherry	15	Classic Oak	49
Rustic Cherry	21	Rustic Knotty Alder	53
Decorator Series Fir	25		



A TRUE ENTRY DOOR SOLUTION

What sets MasterGrain™ apart? It's the commitment to quality and investment in world-class manufacturing technologies. Every MasterGrain door is built with fiberglass-clad components in order to deliver a finish that is seamless, strong, and, perhaps best of all, completely stainable. The result is a versatile door that flawlessly replicates the look, texture and aesthetic of real wood.

1. Door Skins

Nickel Vapor Deposition (NVD) technology, a process exclusive to MasterGrain, is used to mold the world's strongest fiberglass door skins of various thicknesses and finishes.

2. Polyurethane Foam Core

High-density, CFC-free polyurethane foam is injected into the slab core to offer superior insulation, energy efficiency, sound-dampening, and resistance to dents and other damage.

3. Engineered Wood with Hardwood Maple Cap

Stiles are made from premium materials so they are exceptionally strong, stable and straight. They are also built wider than industry standard with uniform lock and hinge sides to accommodate almost any hardware and improve door performance over time.

4. Composite Rails

Rot-resistant composite (plastic film and wood fibers) are used for both the top and bottom rails. This material is resilient and more stable than wood or other materials.

5. Composite Reinforced Mull Post

Composite core components with aluminum-reinforcement offers increased security, strength and fire ratings. Plus, fiberglass cladding adds complete design versatility.

6. Bronze or Mill Finish Aluminum Sills

Designed specifically to provide a tight seal, aluminum sills protect against moisture, air and debris infiltration into the home while offering the ability to complement any entry door system and configuration.

7. Molded Fiberglass Door Lite Frame

A patented clip assembly system is employed to eliminate the need for unsightly screws and plugs. It creates a unique look that is completely seamless.

8. Simulated Dividing Lites (SDLs)

Made with molded fiberglass to provide countless customization options, SDLs can be used in any design configuration as well as stained to match door panels and other components.

9. Sidelite Composite Glass Stop

Matching composite glass stops, made with or without woodgrain, are installed on the inside of the door lite frame to hold glass securely in place, deliver improved performance and durability and make removal/replacement easier.



10. Composite Jambs with Woodgrain Fiberglass Cladding

All jambs are made using composite material. Woodgrain fiberglass-clad jambs are offered to attain a completely seamless look as they can be stained.

11. Brickmold with Woodgrain Fiberglass Cladding

Available in a variety of sizes and finishes, this fiberglass-clad brickmold is used as an aesthetic casing. It will not rot, split or warp and is completely stainable for a beautiful and seamless aesthetic.

IT'S WHAT'S INSIDE THAT COUNTS

Every MasterGrain™ door is engineered and built in North America by skilled technicians to ensure the highest quality. Unlike other doors, the manufacturing processes and technologies which MasterGrain employs, eliminate the need to compromise between strength and lasting beauty.

- **Does NOT warp, rot or crack** like wood doors and requires less maintenance
- **Does NOT rust or dent** like steel doors
- Excellent grain and stain matching across fiberglass components
- Engineered for the extreme hot and cold temperatures of North America

STRENGTH

A pair of robust 4-1/16" stiles run down each side of the door slab. The stiles are made of 3-7/16" engineered wood and a 5/8" maple cap.

HIGH DEFINITION

To produce the highest definition woodgrain fiberglass doors, it starts with high quality fiberglass that is transformed using our unique NVD Technology. Our skins have a minimum thickness of 0.09" to 0.175" to accommodate inlays and routed designs.

PERFORMANCE

All of our doors are insulated with high density, CFC free, polyurethane foam. Our formula improves energy efficiency & sound abatement.


CONSTRUCTION

Doors are constructed using rot resistant composite top and bottom rails.

IMPACT TESTED PRODUCTS ARE FOUND UNDER THE FOLLOWING APPROVAL NUMBERS		
NON-IMPACT	IMPACT	HVHZ
#FL13320	#FL21852	#FL21852.19*

Visit www.floridabuilding.org/pr/pr_app_srch.aspx for details.

*Tested with opaque 3/0 x 8/0 outswing.



MOLDED FIBERGLASS

DOOR LITE FRAMES & SIMULATED DIVIDING LITES (SDLs)

MasterGrain™ molds their own patented woodgrain and smooth fiberglass door lite frames that use a clip assembly system that eliminates the need for unsightly screws and plugs to deliver a unique uninterrupted look. MasterGrain also offers molded fiberglass simulated divided lites (SDLs).

- Fiberglass frames are more rigid than plastic frames.
- No welded corners ensures a tight weather seal to the door and minimizes distortion.
- Plugless frame system eliminates all unsightly screw holes and plugs for a clean aesthetic.
- Traditional plugged door lite system uses screws and plugs to deliver certified performance for impact, air, water and cycle testing.
- Molded fiberglass SDL bars provide an energy-efficient way to create a number of design configurations for a completely custom look.
- Door lite frames and SDLs can be stained to match door panels and all other MasterGrain door components for a seamless beautiful aesthetic.



SDL's come pre-taped and notched to create a beautiful lap-joint.



CONTEMPORARY

Plugged or Plugless

Low profile
White: Smooth Edge



FIR

Plugged or Plugless

Flush fit, with optional integrated dentil shelf
Tan: Fir



TRADITIONAL

Plugged or Plugless

Raised profile
Tan: Oak/Alder
Rose: Mahogany/Cherry



Plugged
Frame System



Plugless
Frame System

COMPOSITE COMPONENTS

The only NVD fiberglass cladded component frames available in the industry.

- 2X screw holding power due to rigid composite formulation and closed cellular structure
- Rot resistant, does not absorb moisture
- Stronger than wood door frames
- 20 minute fire-rated
- Impact rated
- Maintenance free
- Termite resistant
- Versatile lengths and widths



Alder/Oak
Tan Base SMC



Mahogany/Cherry
Rose Base SMC



Fir
Tan Base SMC


COMPOSITE JAMB




COMPOSITE JAMBS			
	4-9/16"	5-1/2"	6-9/16"
1-3/4" cladded	✓	✓	✓
1-3/4" non-cladded	✓	✗	✓

Size and availability depending on grain/model.

COMPOSITE MULL POST



COMPOSITE BRICKMOLD



COMPOSITE CLADED BRICKMOLDS			
	Alder/Oak	Mahogany/Cherry	Fir
2"	✓	✓	✗
3-3/4"	✗	✓	✓

Size availability depending on model. Not available non-cladded.


FIBERGLASS CLADDED ASTRAGALS

Aluminum astragal with fiberglass cladding to match door panels.

THERMALLY BROKEN

Cherry/Mahogany, Oak/Alder and Fir


LH 6/8
RH 8/0



NON-THERMALLY BROKEN

Cherry/Mahogany, Oak/Alder and Fir

LH 6/8
RH 8/0



TRANSOM SILL, MULL CASING & GLASS STOP

COMPOSITE TRANSOM SILL WITH GRAIN

Size	Part #	Finish
5- ⁵ / ₈ x 120"	TSCOM4120	Grained
7- ⁵ / ₈ x 120"	TSCOM6120	Grained




COMPOSITE SMOOTH PRIMED TRANSOM SILL

Size	Part #	Finish
5- ⁵ / ₈ x 168"	TSCOM4168P	Smooth Primed
7- ⁵ / ₈ x 168"	TSCOM6168P	Smooth Primed



COMPOSITE MULL CASING WITH GRAIN

Size	Part #	Finish
5- ⁵ / ₈ x 168"	MCCOM4121-120	Grained
7- ⁵ / ₈ x 168"	MCCOM41214-120	Grained
7- ⁵ / ₈ x 168"	MCCOM114-120	Grained




COMPOSITE GLASS STOPS

Size	Part #	Finish
³ / ₄ " x ¹ / ₂ " x 144"	GS-COMG	Grained
³ / ₄ " x ¹ / ₂ " x 144"	GS-COM	Smooth Raw
.354" x .553" x 99"	GSCOM99	Grained





CONTEMPORARY ENGRAVED CHERRY




C498* C499** C500 C536 C501 C528

Custom options are available



C550 C552 C551 C553



Engraving stops 3/4" from door edge for air and water protection.


*Available in 83" height. Also available with 0.175" thick skins
 **Available in 30" widths x 83" heights. Also available with 0.175" thick skins

SIZING


Heights	6'-8" 80"				8' 96"			
Widths	32"	34"	36"	42"	32"	34"	36"	42"
Flush Sidelites Widths	10"	12"	14"	16"				

2-1/4" slab thickness available for 8' doors without glass†
 †Only available for 36" x 8' and 42" x 8'

SHADOW GROOVE PROFILE



DEEP V GROOVE





CONTEMPORARY STAINLESS INLAY

CHERRY



Custom options are available



C601



C602



C604



C606



C607



C605



C608



C609




C611




C613



C614



C612



Inlays available in gold, black or stainless.

SIZING

Heights

6'-8" | 80"

8' | 96"

Widths

34"

36"

42"

34"

36"


42"

.175" skin thickness


2-1/4" slab thickness available for 8' doors without glass*

*Only available for 36" x 8' and 42" x 8'

STAINLESS PROFILE



Stainless Profile for C607 and C614





CLASSIC

CHERRY



C200
6 Panel



C201
22" x 64"

SIZING

Heights	6'-8" 80"			7' 84"		
Widths	32"	34"	36"	32"	34"	36"
Sidelite Widths	10"	12"	14"	16"		

.175" skin thickness
2-1/4" slab thickness available for 8' doors without glass†



C207
22" x 64"



C209
22" x 64"



C210
22" x 64"



C-SL



C261*
6" x 64"



C202
8" x 64"



C208
8" x 64"



C211
8" x 64"

†Only available in 10"

CLASSIC

CHERRY



C205
22" x 11"

C206
22" x 11"

C215*
8 Panel

SIZING

Heights	6'-8" 80"			7' 84"		
Widths	32"	34"	36"	32"	34"	36"
Sidelite Widths	10"	12"	14"	16"		

*8 panel doors only available in 34" and 36" widths.

10" Sidelites only available in flush



C216*
8" x 42"

C203
22" x 36"

C260
22" x 36"




C212
22" x 36"

C213
22" x 36"

C204
8" x 36"

C214
8" x 36"



C220
3 Panel



C222
22" x 48"



C224
22" x 48"

SIZING

Heights

6'-8" | 80"

7' | 84"

Widths

32"

34"

36"

32"

34"

36"

Sidelite Widths

10"

12"

14"

16"

10" Sidelites only available in flush



C225
14" x 37"



C226
22" x 48"



C228
22" x 48"



C261
22" x 48"



C230
22" x 48"



C231
22" x 48"



C-SL



C223
8" x 48"



C227
8" x 48"



C229
8" x 48"



C243
8" x 48"



C262
8" x 48"



C232
8" x 48"



CLASSIC

CHERRY



C233
2 Panel

C234
2 Panel

C236
22" x 48"



C238
22" x 48"

C239
14" x 37"

C240
22" x 48"



C242
22" x 48"

C263
22" x 48"

C244
22" x 48"

C245
22" x 48"



C-SL

C266*
6" x 64"

C227
8" x 48"

C229
8" x 48"

C243
8" x 48"

C262
8" x 48"

C232
8" x 48"

SIZING

Heights	6'-8" 80"		7' 84"		
Widths	32"	34"	36"	32"	34" 36"
Sidelite Widths	10"	12"	14"	16"	

10" Sidelites only available in flush

*Only available in 10"



C250
2 Panel

C217*
2 Panel

C218*
2 Panel

C219*
2 Panel



SIZING

Heights

8' | 96"

Widths

32"

34"

36"

42"

Sidelite
Widths

10"

12"

14"

16"

2-1/4" slab thickness available for 36" x 8' and 42" x 8' doors, without glass†

10" Sidelites only available in flush



C251
22" x 64"

C252
22" x 64"

C264
22" x 64"

C265
22" x 64"



C253
22" x 64"

C254
22" x 64"



C8-SL-64

C8-SL-48**

C256
8" x 64"

C257**
8" x 48"

C258
8" x 64"

C259
8" x 64"


†Only available in 42"

‡Only available in 12", 14", or 16"



CLASSIC

CHERRY



C733
28" x 80"

C731
22" x 17"

C732
22" x 3-1/2"



C734
8" x 80"

C735
22" x 3-1/2"



C499-F175
Also available in
30", 32" and 34"

C124

C125

SIZING

Heights	8' 96"
Widths	42"

SIZING


Heights	6'-8" 80"		7' 84"		8' 96"	
Widths	36"	42"	36"	42"	36"	42"

.175" skin thickness

2-1/4" slab thickness available for 8' doors without glass†

†Only available for 36" x 8' and 42" x 8'

DEEP V GROOVE



RUSTIC

CHERRY



C100



C101



C103
14" x 37"

SIZING

Heights

6'-8" | 80"

7' | 84"

Widths

32"

34"

36"

32"

34"

36"

Sidelite
Widths

12"

14"

16"



C104
22" x 48"



C102
22" x 48"



C107
22" x 48"



C109
22" x 48"



C153
22" x 48"



C112
22" x 48"



C114
22" x 48"



C-SLR



C106
8" x 64"



C105
8" x 48"



C108
8" x 48"



C161
8" x 48"



C111
8" x 48"



C154
8" x 48"



C115
8" x 48"





RUSTIC

CHERRY



C144

C145

C146
22" x 64"

C148
22" x 64"

SIZING

Heights	8' 96"		
Widths	32"	34"	36"
Sidelite Widths	12"	14"	16"



C162
22" x 64"

C163
22" x 64"

C150
22" x 64"

C151
22" x 64"



C-SLR

C147
8" x 64"

C149
8" x 64"

C164
8" x 64"

C165
8" x 64"

C152
8" x 64"





F800 / F801



F822 / F862

SIZING

Heights

6'-8" | 80"

7' | 84"

8' | 96"

Widths

34"

36"

34"

36"

34"

36"

SDL bars available in 3-1/2" and 5-1/8" widths.



F823 / F863



F824 / F864



F825 / F865



F826 / F866



F827 / F867



F828 / F868




F829 / F869







F800-G / F801-G



F822-G / F862-G

SIZING

Heights

6'-8" | 80"

7' | 84"

8' | 96"

Widths

34"

36"

34"

36"


34"

36"

SDL bars available in 3-1/2" and 5-1/8" widths.



F823-G / F863-G



F824-G / F864-G



F825-G / F865-G



F826-G / F866-G



F827-G / F867-G



F828-G / F868-G



F829-G / F869-G



CRAFTSMAN

FIR



F300



F302
23-3/4" x 15"



F303
23-3/4" x 15"

SIZING

Heights

6'-8" | 80"

7' | 84"

Widths

34"

36"

34"

36"

Sidelite
Widths

12"

14"

16"

Fir frames are flush fit.
Integrated dentil shelf optional.



F304
23-3/4" x 15"



F305
23-3/4" x 15"



F306
23-3/4" x 15"



F-SL2P



F317
8" x 15"



F318
8" x 15"



F319
8" x 15"



F320
8" x 15"



F316
8" x 64"




F307
8" x 64"



F315
8" x 64"





F350



F351
23-³/₄" x 19-¹/₄"



F352
23-³/₄" x 19-¹/₄"



F353
23-³/₄" x 19-¹/₄"



F354
23-³/₄" x 19-¹/₄"



F355
23-³/₄" x 19-¹/₄"



F380



F381
8" x 19-¹/₄"




F382
8" x 19-¹/₄"




F383
8" x 19-¹/₄"



F384
8" x 19-¹/₄"



F385
8" x 77"



F386
8" x 77"



F387
8" x 77"

SIZING

Heights

8' | 96"

Widths

34"

36"

Sidelite
Widths

12"

14"

16"

Fir frames are flush fit.
Integrated dentil shelf optional.

CRAFTSMAN

FIR



F308
23-3/4" x 15"



F310
23-3/4" x 15"



F311
23-3/4" x 15"

SIZING

Heights

6'-8" | 80"

7' | 84"

Widths

34"

36"

34"

36"

Sidelite
Widths

12"

14"

16"

Fir frames are flush fit.
Integrated dentil shelf optional.



F312
23-3/4" x 15"



F313
23-3/4" x 15"



F316
8" x 64"



F307
8" x 64"



F315
8" x 64"



F317
8" x 15"




F318
8" x 15"



F319
8" x 15"



F320
8" x 15"



F356
23-³/₄" x 19-¹/₈"



F357
23-³/₄" x 19-¹/₈"



F358
23-³/₄" x 19-¹/₈"




F359
23-³/₄" x 19-¹/₈"



F360
23-³/₄" x 19-¹/₈"



F385
8" x 77"



F386
8" x 77"



F387
8" x 77"



F381
8" x 19-¹/₈"



F382
8" x 19-¹/₈"



F383
8" x 19-¹/₈"



F384
8" x 19-¹/₈"

SIZING

Heights

8' | 96"

Widths

34"

36"

Sidelite
Widths

12"

14"

16"

Fir frames are flush fit.
Integrated dentil shelf optional.





CONTEMPORARY

EDGE SMOOTH



E758
22" x 48"



E760
22" x 48"



E762
22" x 48"



E764
22" x 48"



E759
8" x 48"




E761
8" x 48"




E763
8" x 48"




E765
8" x 48"




E766
22" x 64"



E768
22" x 64"



E770
22" x 64"



E772
22" x 64"



E767
8" x 64"



E769
8" x 64"



E771
8" x 64"

SIZING

Heights

6'-8" | 80"

7' | 84"

Widths

32"

34"

36"

32"

34"

36"

Sidelite
Widths

12"

14"



CONTEMPORARY

EDGE SMOOTH



E773
22" x 64"



E775
22" x 64"



E777
22" x 64"



E779
22" x 64"



E781
22" x 64"



E774
8" x 64"



E776
8" x 64"



E778
8" x 64"



E780
8" x 64"



E782
8" x 64"



E783
22" x 80"



E785
22" x 80"



E787
22" x 80"



E784
8" x 80"



E786
8" x 80"



E788
8" x 80"



E789
8" x 80"

SIZING

Heights	6'-8" 80"	7' 84"	8' 96"
Widths	32"34"36"	32"34"36"	32"34"36"
Sidelite Widths	12"14"		

CONTEMPORARY

EDGE SMOOTH



E721

Not available in 30" or 32"

E705*

8/0

E746*

Not available in 30" 8/0



E706*

Not available in 30" 8/0


E703

E700

Not available in 30"

E736

Not available in 30"



E737

Not available in 16"

E702

Not available in 16"

E708*

Not available in 16" 8/0

E747*

Not available in 16" 8/0

E707*

Available in 16" 8/0

E704

Available in 16"

*Only available in 8' height

SIZING


Heights	6'-8" 80"		7' 84"		8' 96"	
Widths	30"	32"	30"	32"	30"	32"
	34"	36"	34"	36"	34"	36"
Sidelite Widths	12"		14"		16"	

2-1/4" slab thickness available for 8' doors without glass*

*Only available for 36" x 8'

CONTEMPORARY

EDGE SMOOTH



E719

22" x 3-1/2"

E720

22" x 3-1/2"

SIZING

Heights

6'-8" | 80"

7' | 84"

8' | 96"

Widths

32"

34"

36"

32"

34"

36"

32"

34"

36"

2-1/4" slab thickness available for 8' doors without glass†

†Only available for 36" x 8'



E701*



E712*

22" x 17"



E713*

22" x 17"




E714*

22" x 17"

*Only available in 8' height




E730




E733

28" x 80"



E731

22" x 17"



E732

22" x 3-1/2"

SIZING

Heights


8' | 96"

Widths

42"

2-1/4" slab thickness available for 8' doors without glass†

†Only available for 36" x 8'




E734

08" x 80"



E735


22" x 3-1/2"



E724*
22" x 80"




E725*
8" x 80"



E717
22" x 64"



E726
8" x 64"



E728*
28" x 80"
Available in 16"



E715
22" x 48"



E710*
22" x 64"



E716
8" x 48"



E718
8" x 64"
Available
in 16"



E711*
8" x 64"



E727**
8" x 80"
Available
in 16"

*Only available in 8' height

**Only available in 42" width x 8' height

SIZING

Heights

6'-8" | 80"

7' | 84"

8' | 96"

Widths

32"

34"

36"

32"

34"

36"

32"

34"

36"

42"

Sidelite
Widths

12"

14"

16"




DECORATOR SERIES


EDGE SMOOTH




E801-E




E862-E




E863-E




E864-E




E865-E




E866-E



E867-E



E868-E



E869-E

SIZING

Heights

6'-8" | 80"

7' | 84"

8' | 96"

Widths

34"

36"

34"

36"

34"

36"

42"

SDL bars available in 3-1/2" and 5-1/8" widths.

CRAFTSMAN

EDGE SMOOTH

NO DENTIL SHEL




E722*

23-3/4" x 15"



E728

23-3/4" x 15"




E729

23-3/4" x 15"



E730

23-3/4" x 15"



E731

23-3/4" x 15"

WITH DENTIL SHEL



E723*

23-3/4" x 15"



E732

23-3/4" x 15"



E733

23-3/4" x 15"



E734

23-3/4" x 15"



E735

23-3/4" x 15"

*Not available in 30" or 32"

SIZING

Heights

6'-8" | 80"

7' | 84"

Widths

34"

36"

34"

36"

SHAKER


EDGE SMOOTH

Flush Fit Door Lite Frame.



SIZING

Heights	6'-8" 80"	7' 84"
Widths	32"34"36"	32"34"36"
Sidelite Widths	12"14"	



SIZING

Heights	8' 96"
Widths	32"34"36"
Sidelite Widths	12"14"

STAINLESS INLAY

EDGE SMOOTH



E601




E602




E603



E604



E605



Engraving stops $\frac{3}{4}$ " from door edge for air and water protection.



E608




E609



E610



E611



E612

SIZING

Heights

6'-8" | 80"

8' | 96"

Widths

34"

36"

42"

34"

36"

42"

Sidelite Widths

12"

14"

16"

.175" skin thickness

2-1/4" slab thickness available for 8' doors without glass†


†Only available for 36" x 8'





ENGRAVED

EDGE SMOOTH



E900



E901



E903




E904

Available in 32"



E902



E950



E951



E953




E954

Available in 32"



E952



Engraving stops $\frac{3}{4}$ " from door edge for air and water protection.

SIZING

Heights

6'-8" | 80"

8' | 96"

Widths

34"

36"

34"

36"

42"

Sidelite Widths

12"


14"

16"

2- $\frac{3}{4}$ " slab thickness available for 8' doors without glass†

†Only available for 36" x 8'

ENGRAVED PROFILE





CLASSIC

MAHOGANY



M262



M252
22" x 11"



M253
22" x 11"



M267
14" x 37"



M264
22" x 48"



M266
22" x 48"



M271
22" x 48"



M254
22" x 64"



M278
22" x 64"



M256
22" x 64"



M257
22" x 64"



M-SL



M265
8" x 48"



M249
8" x 64"



M255
8" x 64"



M279
8" x 64"



M258
8" x 64"

SIZING

Heights

6'-8" | 80"

7' | 84"

Widths

32"

34"

36"

32"

34"

36"

Sidelite Widths

12"

14"

16"


CLASSIC

MAHOGANY



SIZING

Heights	6'-8" 80"		7' 84"			
Widths	32"	34"	36"	32"	34"	36"
Sidelite Widths	12"	14"	16"			



M247



M250

22" x 36"



M277

22" x 36"



M259

22" x 36"



M260

22" x 36"



M248

22" x 64"



M-SL



M251

8" x 36"



M261

8" x 36"



M249

8" x 64"

SIZING

Heights	6'-8" 80"			7' 84"		
Widths	32"	34"	36"	32"	34"	36"
Sidelite Widths	12"	14"	16"			





CLASSIC
OAK



O292



O293
8" x 42"

SIZING

Heights

6'-8" | 80"

7' | 84"

Widths

34"

36"

34"

36"

Sidelite
Widths

12"

14"

16"



O-SL



O279
8" x 64"



O285
8" x 64"



O288
8" x 64"



CLASSIC

OAK



O277



O282
22" x 11"



O283
22" x 11"



O280
22" x 36"



O318
22" x 36"



O289
22" x 36"



O290
22" x 36"



O278
22" x 64"



O284
22" x 64"



O322
22" x 64"



O286
22" x 64"



O287
22" x 64"



O-SL



O281
8" x 36"



O291
8" x 36"



O279
8" x 64"



O285
8" x 64"




O323
8" x 64"



O288
8" x 64"

SIZING

Heights	6'-8" 80"	7' 84"
Widths	32" 34" 36"	32" 34" 36"
Sidelite Widths	12" 14" 16"	



O308



O309



O318
22" x 64"

SIZING

Heights

6'-8" | 80"

7' | 84"

Widths

32"

34"

36"

32"

34"

36"

Sidelite
Widths

12"

14"

16"



O312
14" x 37"



O310
22" x 48"



O313
22" x 48"



O314
22" x 48"



O319
22" x 48"



O316
22" x 48"



O317
22" x 48"



O-SL



O279
8" x 64"



O295
8" x 48"



O300
8" x 48"



O303
8" x 48"



O315
8" x 48"



O320
8" x 48"



O307
8" x 48"



CLASSIC
OAK



O294



O296
22" x 48"



O297
22" x 48"

SIZING

Heights

6'-8" | 80"

7' | 84"

Widths

32"

34"

36"

32"

34"

36"

Sidelite
Widths

12"

14"

16"



O298
14" x 37"



O299
22" x 48"



O301
22" x 48"



O321
22" x 48"



O304
22" x 48"



O305
22" x 48"



O-SL



O279
8" x 64"



O295
8" x 48"



O300
8" x 48"



O303
8" x 48"



O315
8" x 48"



O320
8" x 48"



O307
8" x 48"



RUSTIC

KNOTTY ALDER



KA159



KA160



KA161
22" x 36"



KA181
22" x 36"



KA162
22" x 36"



KA163
22" x 36"



KA175
22" x 64"



KA179
22" x 64"



KA184
22" x 64"



KA176
22" x 64"



KA177
22" x 64"



KA-SLR



KA195
8" x 36"



KA182
8" x 36"



KA183
8" x 36"



KA164
8" x 64"



KA180
8" x 64"



KA185
8" x 64"



KA178
8" x 64"

SIZING

Heights

6'-8" | 80"

7' | 84"

Widths

32"

34"

36"

32"

34"

36"

Sidelite
Widths

12"

14"

16"





RUSTIC

KNOTTY ALDER



KA165



KA166



KA167
22" x 48"



KA170
22" x 48"

SIZING

Heights

8' | 96"

Widths

32"

34"

36"

2-1/4" slab thickness available for 8' doors without glass†

†Only available for 36" x 8'



KA171
22" x 48"



KA172
22" x 48"



KA186
22" x 48"



KA173
22" x 48"



KA174
22" x 48"



KA-SLR



KA196
8" x 48"



KA187
8" x 48"



KA188
8" x 48"





MASTERGRAIN™

— YOUR DOOR, DEFINED —

8550 Keele Street
Concord, Ontario L4K 2N2
1-800-782-0559

FOLLOW US



www.MasterGrain.com



LIMITED LIFETIME WARRANTY
Visit www.MasterGrain.com for details

MasterGrain™ reserves the right to make changes to product design, finishes and technology.
Doors depicted in this brochure may not be exactly as shown.



01-2023